

	Type	Hits	Search Text	DBs	Time Stamp	Corr m n t s o n	Er r o r r a t e
1	IS &R	1	("6137366").PN.	USP AT	2004/08/ 03 12:38		0
2	IS &R	2	((("5357089") or ("4729129")).PN.	USP AT	2004/08/ 03 12:57		0
3	BR S	256363	transistor\$	USP AT	2004/08/ 03 13:39		0
4	BR S	87245	breakdown	USP AT	2004/08/ 03 13:46		0
5	BR S	242993	resistor\$	USP AT	2004/08/ 04 08:35		0
6	BR S	855711	detect\$	USP AT	2004/08/ 03 13:04		0
7	BR S	1272	ionizat\$ near2 current\$	USP AT	2004/08/ 03 13:05		0
8	BR S	283	ionizat\$ near2 multipl\$	USP AT	2004/08/ 03 13:05		0
9	BR S	10992	current near2 gain	USP AT	2004/08/ 03 13:10		0
10	BR S	1	(transistor\$ and breakdown and resistor\$ and detect\$ and (ionizat\$ near2 current\$)) and (ionizat\$ near2 multipl\$)	USP AT	2004/08/ 03 13:10		0
11	BR S	7	(transistor\$ and breakdown and resistor\$ and detect\$ and (ionizat\$ near2 current\$)) and (current near2 gain)	USP AT	2004/08/ 04 09:44		0
12	BR S	61	transistor\$ and breakdown and resistor\$ and detect\$ and (ionizat\$ near2 current\$)	USP AT	2004/08/ 03 13:37		0
13	BR S	27844	power near2 transistor\$	USP AT	2004/08/ 03 13:37		0
14	BR S	72	(power near2 transistor\$) and breakdown and resistor\$ and detect\$ and 330/\$.ccls.	USP AT	2004/08/ 04 09:44		0
15	BR S	16668	transistor\$ near2 (cell or cells)	USP AT	2004/08/ 03 13:41		0
16	BR S	2	((power near2 transistor\$) and breakdown and resistor\$ and detect\$ and 330/\$.ccls.) and (transistor\$ near2 (cell or cells))	USP AT	2004/08/ 04 09:44		0
17	BR S	631	breakdown near2 detect\$	USP AT	2004/08/ 03 13:47		0

	Type	Hits	Search Text	DBs	Time Stamp	C o r r e c t i o n	E r r o r
18	BR S	31	(power near2 transistor\$) and breakdown and resistor\$ and detect\$ and (breakdown near2 detect\$)	USP AT	2004/08/ 04 09:43		0
19	BR S	1173	ballast near2 resistor\$	USP AT	2004/08/ 04 08:35		0
20	BR S	2	(power near2 transistor\$) and breakdown and resistor\$ and detect\$ and (ballast near2 resistor\$) and 330/\$.ccls.	USP AT	2004/08/ 04 08:59		0
21	BR S	13	(power near2 transistor\$) and (breakdown near2 (detect\$ or prevent\$ or protect\$)) and (ballast near2 resistor\$)	USP AT	2004/08/ 04 09:01		0
22	BR S	0	((power near2 transistor\$) and breakdown and resistor\$ and detect\$ and 330/\$.ccls.) and (transistor\$ near2 (cell or cells))	US- PGP UB; EPO ; JPO ; DER WEN T; IBM _TD B	2004/08/ 04 09:44		0
23	BR S	1	(power near2 transistor\$) and breakdown and resistor\$ and detect\$ and (breakdown near2 detect\$)	US- PGP UB; EPO ; JPO ; DER WEN T; IBM _TD B	2004/08/ 04 09:44		0

	Type	Hits	Search Text	DBs	Time Stamp	Corrupted	Error
24	BR S	1	(transistor\$ and breakdown and resistor\$ and detect\$ and (ionizat\$ near2 current\$)) and (current near2 gain)	US-PGP UB; EPO; JPO; DER WEN T; IBM TD B	2004/08/ 04 09:45		0
25	BR S	16	(power near2 transistor\$) and breakdown and resistor\$ and detect\$ and 330/\$.ccls.	US-PGP UB; EPO; JPO; DER WEN T; IBM TD B	2004/08/ 04 09:45		0